

BEST COPY Available

SECRET

25X1A

Deutschen Demokratischen Republik HV Schwermaschinenben -Katerialversorgung - Approved For Release 2002/01/17 : CIA-RDP83-00415R013200010008-5

Ergänsung sur Heldung 1. Halbjahr 1952

THIS IS AN ENCLOSURE TO DO NOT DETACH

5,000 400,320 1175,200 122,000 2 -5,160 40,758 189,897 2,275 296,935 170,400 30,745 28,446 860,986 22,715 16,946 150,649 175,506 1 BB312 56,200 16,300 0,100 0,200 423,136 5,800 1,700 7.6192 500,995 1722,580 27,719 1,870 252,146 172579 2 007,738 57,445 0,800 0,100 321,228 0,400 2,400\$ 885,528 0,900 18,500 9,800 0,500 -1,200 216,e14 306,ee2 39,443 155,598 55,515 270,426 111,269 0,800 1,900 36,400 0,400 4,152 26,460 8,500 6,316 159,761 10 1469,6563014,660 222,809 175,248 508,095 533,411 407,241 3,100 5,600 59,300 6,500 965,924 8,500 2,844 16,845 5354,302 135,213 523,602 38,966 45,520 3,471 14578 38,080 * 0,900 2,402 0,030 7,547 0,700 4,346 12 13 14 15 1,852 0,524 0,726 0,776 14,788 2,250 3,500 3,402 0,700 0,200 10,204 17 0,910 0,830 0,025 0,651 4,685 5,828 2,043 18 5333,4333225,524 109,089 921,546 442,547 4948,254 492,392 73,900 2,100 18,700.165,390 77,200 15931 814 14,000 0,400 C. 19 265,459 140,506 0,100 14,620 54,300 94,992 108,761 584,550 152,246 1,600 8,600 122,790 5,800 2,000 led 477 0,200 0,150 45,529 20 345,265 160,549 35,339 55,987 740,634 196,577 304,662 68,245 123,813 0,800 7,557 0,200 29,200 0,600 636,893 21 1,291 0,873 1,128 0,139 4,356 0,220 11,138 42,700 0,714 0,043 1,000 4,749 18,076 3,344 22 0,300 0,024 1,600 23 0,916 2,364 16,000 24 0,341 25 13,250 2,527 0,195 0,859 16,000 1,000 26 3,500 27 21,392 2,300 8,800 0,140 28 12,277 4,032 0,273 0,600 0,432 3,236 4,827 0,300 0.200 8,436 29 1237,591 91,728 14,884 3,147 61,537 7,791 91,394 2,600 8,500 12,300 1,800 5,894 0,500 754,419 30 55,440 34,303 8,713 10,565 0,918 9,612 15,100 4,709 22,07 7,561 6,700 1,200 مملره 2,927 76,141 31 0,866 1,800 0,625 0,200 2,850 0,900 la, too 0,034 0,100 0,100 38 2,297 0,124 o,lol 0,230 0,305 0,100 51,954 168,602 19,315 46,247 6,282 209,375 27,148 0,200 11,184 4,857 0,500 0.800 0,800 0,105 1,300 35 0,178 2,690 0,630 0,222 0,120 1,262 0,017 Loo.o 36 3,5 37 9,130 0,800 0,256 3,170 0,745

Approved For Release 2002/01/17: CIA-RDP83-00415R013200010008-5

25X1A

							Approx	ed For Bela	ase <u>200</u> 2/01	/17 : CIA-RI	DP83-00415	R013200010	0008-5			25X1	A		
Lfa. Hż.	(Loopee	420000	4300000	4400000	4500000	4611000			47 13000 4700000			3911.eee		3999 000 3 9 95 00 0	SEC		81,89000	Inageson	Ť.
1	-		_			***	***		M540,980		-	5,000			-	-	•	36 326,8	
2		-		_	-				2256 ,000		-	-	-	-	-	_	-	2 256.0	
3	_	_					-		380,640	-	→ 1.1	-	-	-	-		•	385,8	٠.
4		<u> </u>	•	-	11,000			- 1	4254,940	-	-	2,900	28,500	lo,856	92,750	-	-	15 140 ,4	
5				-		-	7,700	5,500		-	·	31,640	30,213	6,400	5,905	÷ * * * * * * * * * * * * * * * * * * *	0,100	5715,5	
6	-	· · ·	-	-	-	-	-	3,000	2,592	-	* ***	8,441	38,034	12,400	-	e,loo	-	11517.9	
7	_	**	-	-	**	-	-		-	-	-		•	-	-	. •	-	69,9	
8		-	-	-	-	-	-	- 1	-	-	-		-		-		-	11,5	
9	•		-	-	7,500		19,729	3,200	1915,292	12,967	12,685	54,245	34,398	4,500	0,300	Pjana	1,205	3459,4	
10	•	-	-	***	18,000	-	8,500	41,854	2352,530	794,169	0,660	5 95 ,555	217,010	76,400	58,387	1,900	5,500	22600,7	
11	-			-	3,789	-	0,800	0,029	243,276	303	•	85,507	30,037	2,738	15,666	0,600	-	1198,1	
142	-		-	-				-	•	-	-	-			-	*		-	
13	-	*	-		-	-	-	• 1		-	-	-	-	-	-	**	-	-	
14	,			-	-	-	-	+	-		-	•	· + · ·	-	. •	-	-	-	
15		·	-	•	-	-		• ' ,	-	_		- '	-	-	-	-	-	-	
16	6/ja	-	-	100	-	-	-	0,050	•	3,727	3,100	0,441	0,648	-	0,084	-	0,102	62,5	
17	-	•	-	*	•	•	-	-	2,400		-	0,026	0,300	0,100	a,ool	-		18,9	
18	-	-			0,950		2,620	40,000	430,585	0,018	-	113,266	270,330	167,034	149,508	1,000		3093 0,5	
19	-	-	-	-	-	-	13,149	•	0,790	0,160	54,019	25,239	18,910	0,300	33,262	•	-	2705,5	
20	-	-	•	•	0,100	-	44,432	9,300	1,260	0,039	5,950	46,056	17,451	12,945	46,070	0,100	0,129	2936,5	
21	-	-	-	-	-	- 1	1,961	-	-	0,466	-	0,106	3,585	0,029	0,170	-	0,056	94,5	
22	-	-	-	-	-	-	-	-	-	-	j z -	14,632	0,200	. 🕶	0,200	-	-	20,3	
23	-	-		· .	_	.	1,500	-	-			Lynner	2,000	-	0,520	-	-	25,3	
24							·												
25	•	•	-	_	-		0,164	-	1,395			0,011	1,568		12,20	a +	***	12,2	
26										·									
27	-	-	-	-		-	84,400	* .	-	-	-	45,408	-	-	-	-		152,3	
28	_				_	_	44					2, 351	0,318	-	O.loc		•	37,5	
29	_	-	_	_	0,900	-	4,900	0,400			•••	537,232		56,300	13,264	•	0,200	2992,3	
30	_	_			-	-	ter .	1,500			0,647	5,818	6,405		1,470	-		278,8	
31	_	_	_					-	•••	-	2,107	8,540	0,600	0,100	0,004	•••	0,516	30,1	
32	_	_			_	_	_		. **	-	***	a,olo	0,103	-	0,030		-	3,3	
384	_				50,700	_	30,400	***	0.002	167,311		184,445	-		- -	0,200	-	10447	
35	and as		-		0,083	_	~~~	0,005				0,092			0,049	-		5.7	
36						-		-	**	-	-	•	-		-	20		7,5	
37						_	-	0.160	2266 .6 54	-	_		0,100	-	-	. ". 🕳	•	2277,1	
38	_	-				_			978, 223	:		-	-		-	***	-	982,5	
	_							GF - WG	_,							e de la companya de La companya de la co			

Approved Fer Belease 2002/01/17 : CIA-RDP83-00415R013200010008-5

25X1A

SECRET T.Pc. 41 6,344 2,037 42 0,160 0,300 1,000 0,096 1,000 43 0,021 0,068 0,035 0,013 44 45 0,092 46 0,011 47 2,810 0.004 16,850 1,549 46 0,200 15,000 49 1,329 2.114 0,271 2,851 21,977 0,060 0,035 6,482 50 0,094 51 0,047 0,227 0,428 0,442 2,360 0,003 0,034 9,925 -0,016 0,061 0,028 0,022 52 21,364 3,136 0,402 13,196 0,960 0,212 6,608 0,099 35,626 25,122 -3,717 25,816 53 2,618 1,346 0,924 0,197 2,414 8,487 4,498 0,096 54 0,050 0,401 0,003 0,005 o,el8 2,687 55 2,895 3,137 0,112 0,318 0,148 0,187 0,001 456 57 o.ols -58 錐 Ryspe 7,592 0,337 - 130,249 62 7,333 0,016 22,518 1,876 121,944 1,213 62 19,303 27,074 15,777 131,029 11,960 2,995 3,265 15,220 0,als 31o,994 63 79,431 70,374 7,825 12,109 0,950 2,646 16,315 46,747 1,740 o,lel 6,045 3,581 64 0,066 0,541 1,752 0,132 0,010 0,682 0,002 0,009 0,026 0,025 0,007 0,104 3.447 12,376 65 94,015 16,608 15,470 120,055 12,161 10,799 0,868 41,668 **30,400** 0,300 312,545 66 10,928 1,012 0,814 4,478 3,830 163,063 22,460 444,744 0,800 57 4,406 0,159 1,954 osolo 0,007 68 0,090 0,404 0,426 0,073 6,560 69 7,231 13,488 3,046 1,060 8,228 0,851 0,324 0,236 o,oll 55,525 58,701 70 6.905 652 32,637 59 627 15 347 903 12 2 111 4632 185 164 71 -78 Kin 0,011 0,024 - 15,565 74 13,072 222,031 9,034 12,419 89.485 2,517 0,600 51,229 0,200 1,058 0,180 75 , 0,025 0,002 0,058 0,050 1,172 76 85

Approved For Release 2002/01/17 : CIA-RDP83-00415R013200010008-5

77

78

•

SECRET

12,765

-J.

0,535

13,3

insgesamt Fortestaungebl. 2a. 3911000 3991000 3995000 5100000 6100000 8189000 4713000 4713000 4713000 4713000 4713000 4713000 Lfd. 28o,4 280,400 20,1 39 20,100 549.9 40 0,402 341,076 31,4 41 0,008 20,232 6,564 0,2 42 0,054 55,2 43 55,200 44,1 44 44,008 280,0 45 279,989 766,6 46 1,015 675,625 61,0 47 0,879 581372 50,372 53,9 5,347 48 2.731 1,776 11,4 0,417 1,551 49 0,845 0,269 14.0 0,100 0,037 o,olo 0,235 50 0,024 121,5 6,678 51 0,190 2,993 0,478 0,040 124,9 6,540 0,008 1,272 52 0,177 6,301 0,8 0,020 55 0,333 27,366 52,0 0,847 54 0,200 2.0 55 0,005 0,031 0,016 56 57 173,5 0,754 0,136 50 0,024 0,802 1,863 718,5 4,211 61 2,550 4,518 29,145 2,925 4,400 25,8 62 63 1,080 3,962 3,772 11,515 5,622 1,425 17,101 4,1 0,575 0,047 0,094 0,019 0,006 583,1 07119 54 0.776 1,449 12,674 4,364 0,002 10,965 0,856 245 671,5 0,137 65 0,068 e, 182 4,332 3,695 a 800 0,175 128,8 0.816 66 04716 0,005 116,361 0,324 1,2 64 0,045 0,160 0,001 e,ool 0,117 108,6 68 1,000 0.052 1,420 1,051 243 002 69 24,100 1,677 296 580 785 32,842 70 1/h 71 15,9 0,250 0.050 75 km 428,7 2,413 7,006 15,055 0.060 17,965 74 19,7 0,401 75 75

Approved For Release 2002/01/17 : CIA-RDP83-00415R013200010008-5

77

70

Approved For Release 2002/01/17: CIA-RDP83-00415R013200010008-5

Approved For Release 2002/01/17 : CIA-RDP83-00415R013200010008-5

25X1/

Fortsetmmesbla

Lfd.Nr. Ur.41000	20 42	00000	4300	000	4400000	3 50000	o 4611000	46120004	613000	4700000 4	800000	4300000	3911000 3883 660	399100 0	3 999000 3 99 500 0	5 1 eco co6 61ec	8115coo) 0000 8183coo)	Insgesant
		-						•			-1	-	0,535	-	_			
79 - 30 -		•	-			-	•	•	-	-	-		*	0y.) %k .	-			42,9 0,2
4 15 -	ť	•	•		•	•	•		-	e5,135	-11	_	* <u>-</u>	_	•			
16 - 17		.	-		-	-	•		-	26 /60 0	F	_	_	-	-			106,1 106,1
96		•			-	-	* *	*			t	_	-	_		_	_	366,6
9	•	-			-	-		(-	-	-	[]	•	-	_	<u>-</u>			
1 -		,	-		•	-	(*	\	-	0,124	<u>†</u>	-	23,724	65,216 5,600	1,615	9,178 4,064	- 1144,286 - 267,944	7249,5
2 -		-	, - .		-	1	1.	44		· -	1	•	0,055	-	_		- 24,000	502,4 1 41,8
4 -	•	<u> </u>	7		-		_		*	0,192	1	-	0,023	0,697 0,601	-		- 9,367 - 4 3 ,031	139,9
35 - 36 -		-	-		•	4		-			-	•	58,038	•	•		- 4,506	269 ,9 45 ,3
7 - 98 -		-	-		-	1	_	***		-	7	*	0,540	_	*		- 1,900 - 7,130	1,9 7,5
99 -		•	-		-			-			-	•	•	-		•	- 9,300	10,3
106 -	•	-	-		-			-		-	11	-	*	_	-			0,0 10 12,9
118 -	,	-	•		-		-		•		-//	-	. -	-	•	•		124,0
											1							

SECRET 25X1A

Approved For Release 2902/01/17 : CIA-RDP83-00415R013200010008-5

1.fd.			07	940000	250000	2500000	2700000	2840000	20aanaa	********	Sloooo	3200000	3500000	3400000	350000 0	3600000	3700000	3800000	400000
NY.	ST00000	2200000	2200000	2400000	2300000	2000000	270000	200000	230000		720000				_				
79/	V' 🕶	-	-	***	-	-	-	-	-	-	***	-		-	8-	· ·	-	-	-
80	~	40,553	-	-		-	***	-	-	i -	-	**	1,955	•	-	***	***	•	-
83		0,200	-	-	-	-	-		-	-		-	-	-	•	- P	•	•	-
85	-	•		-	**	-		-		+	-	-	. •	•		-	-	. •	-
86	32,915		-	-	-	44		-	-	+-	-	-		•	•	**	· ·	-	-
87	49,100	1,400	2,600	, · · · · · · · · · · · · · · · · · · ·	-	26,400	-	***	-	+	-	-	· . **	444	-	· ·	-		-
₽88	563,loo	→ , ,	3,500		-	· •	•	-	•	•	-	-	. • .	-	-	-	-	***	***
89	-	-	-	-		-	• 1			-	* *	-	-	-	-	-	-		-
90	-	•	-	-	-	-	-	-	. •	*	· 🌦	•	-	-	•		-		*
-91li	779,837	495,025	1690, 558	.259,625	85,204	2544,5eL	40,006	-	-	15,000	—	1,927	28,456	-	14,000	22,945	2,000	-	109,240
92	3,900	-	21,863	4,565	-47765	146,221	3,803	-	· , . •	+			0,007	0,800	0,900	***	•		19,983
93	0,619	8,560	16,623	63,761	0,276	27,219	-	-	-	+		-	-		-	**	-	-	0,685
94	4,447	1,665	68,362	2,101	1,284	33,905	12,190	-	-	+ .	-	-	0,030	-	-	-	0,977	-	0,100
95	5,165	5,281	199,olo	3,006	1,420	12,900	-	-	-	+		-	-		-	-	0,513	*	0,765
96	0,016	-	1,668	0,800		0,272			, · · ·		-	-		. •	***	-	• •	-	-
97	-		-	-	-	-	-	-		•	-	-	-	***	***	-		-	
98	-	0,030	-				-	-		.*	🌦 :			-	-		•	-	**
99	-	-	1,000	-		-	-	-	-	*	-	-		-	-	*	-	-	
106		leaking No.	· -	-	-	0,004		-		-	-	•	-	-	0,006			-	-
116	12,9																		
718	194-0						100			- 1									

St. H.I.